



OEM Satin Black

June 2021.



DESCRIPTION


RestoFinish OEM Satin Black is a two component Acrylic Polyurethane coating designed to maintain a superior appearance. It is derived from the factory finish of manufacturers commonly found on muscle cars.



SURFACE PREPARATION

Surface must be clean, dry and free of oil, grease, wax, rust, dirt or any foreign matter.

Existing Finishers and Primers: Ensure coatings are cured. Sand with minimum 500 grit dry or 800 wet. Use appropriate cleaning process with solvent or water based cleaners.




MIXING

Stir each component. Mix base, hardener and reducer as required by volume until fully blended.

Mix 4:1, equal to 4 parts OEM Satin Black to 1 part OEM Satin Black Hardener.

Can be reduced up to 20% with RestoFinish OEM Satin Black Reducer. Stir before use.

Allow 15 minutes induction time before application.



POT LIFE

Catalysed OEM Satin Black at 23°C is one hour.

Use within temperature range 15°C - 40°C.



APPLICATION

2 medium coats.

One coat is equal to 30-40 microns dry film build.

Minimum recoat time 4 hours. Maximum recoat time 24 hours.



GUN SETUP AND CLEANING

Fluid tip 1.3 - 1.5mm @ 30-45 PSI.

Clean equipment with RestoFinish OEM Satin Black Reducer or quality gunwash.



DRYING TIME

Touch Dry (@25°C) 2 hr

Full cure (@25°C) 3 Days

HEALTH AND SAFETY

FOR PROFESSIONAL USE ONLY. Full instructions must be read before use.

Please refer to RestoFinish Polyprimer – Part A Safety Data Sheets (SDS) and product labels for full Health and Safety details and product handling instructions.

IMPORTANT: This product contains hazardous materials and appropriate PPE (personal protective equipment) must always be used. This information is available from your local RestoFinish stockist or online at www.restofinish.com.au. RestoFinish negates any liability where the user does not wear the recommended PPE and where user does not follow instructions and make inquiries as to the suitability of the product for intended purpose.

IN AN EMERGENCY DIAL 000 (AUS) or 111 (NZ) POLICE OR FIRE BRIGADE

RESTOFINISH

A Division of Global Finish Pty Ltd

6/8 Stockyard Place, West Gosford NSW Australia 2250

Telephone: + 61 (2) 4321 0339

Facsimile: + 61 (2) 4321 0338

Email: info@restofinish.com.au

www.restofinish.com.au